



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

Date : August 18, 2005

Patent No. : 6,878,254

Inventor(s) : Yeung et al.

Issued : April 12, 2005

For : SIZE SEPARATION OF ANALYTES USING MONOMERIC SURFACTANTS

Re: Request for Certificate of Correction


Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

Respecting the alleged error(s) in column 22, lines 15, 20 and 23, after thorough inspection of the application, it is revealed that the lines are correctly printed in accordance with the record. The record correctly lists the claims as they were re-numbered by the examiner, being that amended 15 - is now 16; amended 16 - is now 17, and amended 17 - is now 15. The examiner correctly and appropriately re-numbered the claims and their dependency. Accordingly, respecting the alleged error in the numbering of the claims, inspection of the patent application reveals that the numbering of the claims in the printed patent is in accordance with the renumbering of dependent claims by the examiner as described in M.P.E.P. 608.01(n). Therefore, no correction is in order here under the provisions of Rule 1.322 or 1.323.

In view of the foregoing, your request in this matter is hereby denied.

A certificate will issue for the remaining error(s) in your request.

Note: If you obtain data that clearly shows the attorney/applicant is not in error, simply include proving/supporting documentation and associated post card receipts, along with your certificate of correction or reconsideration via postal mail, not by fax. If you do not have supporting documentation that clearly shows the attorney/applicant is not in error and verifies that the PTO is in error regarding the matter in your request - then, the appropriate fee of \$100.00 with your "Certificate of Correction" or "Reconsideration Certificate of Correction" - will be necessary. Without supporting documentation, depending upon the matter in your request, it is possible - that in addition, a petition with its appropriate fee of \$130.00 may be necessary, or the request may be denied. Please be advised that "identification of the exact point of error by reference to column and line number of the printed patent" provides clarity for processing a request. Please see the MPEP for further instruction and understanding. This is a general hint, which may decrease the processing time of your request.



Stacy Powell, Sr.
For Cecelia B. Newman, Supervisor
Decisions & Certificates of
Correction Branch
(703) 308-9390 or (703) 305-8309

Leydig, Voit & Mayer, Ltd.
(Bruce M. Gagala)
Two Prudential Plaza, Suite 4900
180 North Stetson Avenue
Chicago, Illinois 60601-6780

CBN/spsr